+

Stephen Schenkel, MD, MPP

MedChi Seat

Professor, Emergency Medicine,
University of Maryland School of Medicine

Chief, Emergency Medicine Mercy Medical Center

sschenkel@som.umaryland.edu

What lens?

1) Operational

- Physician
- ED Director

2) System

Every system is perfectly designed to get the results it gets.

- Paul Batalden, IHI

0

https://www.ihi.org/communities/blog s/origin-of-every-system-is-perfectly-designed-quote

Western Journal of Emergency Medicine

QUICK LINKS

SUBMIT A MANUSCRIPT

SUBMISSION GUIDELINES

ARTICLE PROCESSING FFF

CPC-FN



EXPERT COMMENTARY

Balancing Efficiency and Access: Discouraging Emergency Department Boarding in a Global Budget System

Benoit Stryckman, MA
Diane Kuhn, MD, PhD
Daniel B. Gingold, MD, MPH
Kyle R. Fischer, MD, MPH
J. David Gatz, MD
Stephen M. Schenkel, MD, MPP
Brian J. Browne, MD

University of Maryland School of Medicine, Department of Emergency Medicine, Baltimore, Maryland

Section Editor: Christopher Kang, MD

Submission history: Submitted January 26, 2021; Revision received N/A; Accepted May 12, 2021

Electronically published September 2, 2021

Full text available through open access at http://escholarship.org/uc/uciem_westjem

DOI: 10.5811/westjem.2021.5.51889

https://westjem.com/articles/balancing-efficiency-and-access-discouraging-emergency-department-boarding-in-a-global-budget-system.html



JOURNAL 🗸

EVENTS 🗸

INSIGHTS COUNCIL >

TOPICS 🗸

ABOUT



0

COMMENTARY



The solution for this serious threat to ED staff and harm to patients cannot come from a single department, but through engagement of and ongoing commitment by leaders throughout the hospital and, more broadly, by those in the payer and regulatory segments of the health care system as well. **Authors**: Gabor D. Kelen, MD , Richard Wolfe, MD, Gail D'Onofrio, MD, MS , Angela M. Mills, MD, Deborah Diercks, MD, Susan A. Stern, MD, Michael C. Wadman, MD, and Peter E. Sokolove, MD , Author Info & Affiliations

NEJM Catalyst | September 28, 2021

https://catalyst.nejm.org/doi/full/10.1056/CAT.21.0217