## Workplace Violence Staff Assessment Survey

• What are the most and/or least effective methods of controlling violence in the ED?

Most effective:

• What improvements could be made to how "high risk" patients (e.g., as suicidal, violent, or altered mental status patients) are handled?

• Rate how safe you feel from workplace violence in the ED overall as well as in each area of this ED.

	Not at all Safe									Extremely Safe
Overall level of safety in the ED	1	2	3	4	5	6	7	8	9	10
Triage	1	2	3	4	5	6	7	8	9	10
Exam (e.g. non-critical area)	1	2	3	4	5	6	$\bigcirc$	8	9	(10)
Crash (e.g. critical care/trauma area)	1	2	3	4	5	6	$\bigcirc$	8	9	10
Pediatric	1	2	3	4	5	6	7	8	9	10
Psychiatric holding	1	2	3	4	5	6	7	8	9	10
Quick care (e.g. fast track)	1	2	3	4	5	6	$\overline{O}$	8	9	10

## • How long ago did you receive training on preventing and/or mitigating ED workplace violence?

Never	1
0-3 months	2
4-6 months	3

7-9 months ④
10-12 months 5
More than 12 months (6)

• If you have experienced workplace violence while working at this facility, did you formally report the occurrence(s)?

No, I did not formally report the occurrence(s) ①
Yes, I formally reported <u>some</u> of the occurences
Yes, I formally reported any occurrence of workplace violence ③

• Have you been instructed to report physical or verbal abuse regardless of the level of severity or harm?

• How do you report workplace violence?

•

•

• From the actions listed below, indicate which of the following items you believe to constitute workplace violence. Additionally, indicate whether you have personally experienced any of the items.

		s action to be e violence	I have personally experienced this action while at work in this ED		
	Yes	No	Yes	No	
Bitten	1	2	1	2	
Called names	1	2	1	2	
Hair pulled	1	2	1	2	
Harassed with sexual language/innuendo	1	2	1	2	
Hit (e.g., punched, slapped)	1	2	1	2	

## Workplace Violence Staff Assessment Survey

Hit by thrown objects Kicked Pinched Pushed/shoved Scratched Sexually assaulted Shot/shot at Spit on/at Stabbed Sworn/cursed at	1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Threatened with physical harm Verbally intimidated Voided on/at Yelled/shouted at Other (describe):	1 1 1 1 1	2 2 2 2 2	1 1 1 1	2 2 2 2 2
Other (describe): Other (describe):	1) 1)	2 2	1 1	2 2

• How prepared do you feel to manage aggressive or violent behavior?

Not at all Prepared									Completely Prepared
1	2	3	4	5	6	$\overline{\mathcal{O}}$	8	9	10

• Do you feel that workplace violence from patients and/or visitors is simply a "part of the job" in the ED?

No	1
Yes	2

• Do you feel that workplace violence has increased, remained the same or decreased over the past year?

Increased ...... ① Remained the same... ② Decreased ...... ③

• Please rate how effective our hospital's security personnel is in preventing violence against ED staff in our ED.

Not at all Effective									Extremely Effective
1	2	3	4	5	6	$\overline{O}$	8	9	10

## Workplace Violence Staff Assessment Survey

• Please rate how adequate the amount of time security is provided in our ED is in preventing violence against ED staff:

Not at all Adequate									Completely Adequate
1	2	3	4	5	6	$\overline{\mathcal{O}}$	8	9	10

• What types of violent situations do you feel most and/or least prepared to handle?

Most prepared:

• What other suggestions do you have for improving how workplace violence is handled in this emergency department (before, during, and after incidents occur)?